





Convertimos tus espacios en únicos...

Carrera 48C # 15 Sur – 40 Sector Aguacatala Medellín

Teléfono: +57 (4) 325 00 20 +57 310 895 7665

gerencia@ifiasociados.com
www.ifi.com.co



SELECTION GUIDE . LED PENDANT LIGHT



MD9003A H3 220 20LP 20W 900*65*1200mm

MD9003A H5 220 35LP 35W 1450*65*1200mm



MD9003C REC E616 65L 65W 670*670*1200mm MD9003C REC E815 80L 80W 870*870*1200mm MD9003C REC S815 110L 110W 870*870*1200mm



MD8990A-1 Ø860*1200MM MD8990B-1 Ø750*1200MM



MD9003B H5 860 55L 55W 870*540*1200mm MD9003B H8 460 55L 55W 900*470*1200mm



MD9003B H3+2 860 55L 55W 870*540*1200mm



MD8990A-5in1 192W Ø1700*2000MM MD8990B-5in1 165W Ø1300*1200MM



MD9003B H2 860 28L 28W 870*275*1200mm MD9003B H3 860 35L 35W 870*360*1200mm MD9003B H4 860 45L 45W 870*450*1200mm



MD8990A-3in1 80W Ø1100*1500MM MD8990B-3in1 58W Ø850*1200MM



MD9003C M4 285 35LP 35W 1450*65*1200mm



MD9003C POL6 285 40LP 40W 655*575*1200mm



MD9003C REC Y420 28L 28W 475*475*1200mm MD9003C REC Y616 35L 35W 670*670*1200mm MD9003C REC Y815 46L 46W 870*870*1200mm



MD8990A-S 48W Ø985*1200MM MD8990B-S 40W Ø730*1200MM



MD8990A-S-2 96W 1635*1100*1500MM MD8990B-S-2 58W 1235*850*1200MM



MD8990A-L 96W Ø1700*1050MM MD8990B-L 110W Ø1295*1200MM



MD9003C TIR E616 45L

MD9003C TIR E815 70L

MD9003C TIR S815 85L

45W 670*585*1200mm

70W 870*760*1200mm

85W 870*760*1200mm

MD8990A-2 32W 655*535*1200MM MD8990B-2 35W 765*675*1200MM



MD8990A-3A 48W 1380*760*1200MM MD8990B-3A 40W 1060*600*1200MM



MD8990A-3B 48W Ø1100*1200MM MD8990B-3B 40W Ø850*1200MM



MD8990C-3+2 25W 970*80*1200MM



MD8990C-4+3 1338*80*1200MM



MD8992C-5 25W 870*700*1200mm



SELECTION GUIDE • LED PENDANT LIGHT



MD8992A-6 30W 770*480*1200mm



MD8992B-6 30W 870*390*1200mm



MD8970-24 110W ø560*1200mm



MD8971-1 32W 1000*250*1200mm



MD8971-8 80W ø830*1200mm



MD8971-16 110W ø670*1200mm



MD8972-2 32W 1250*70*1200mm



MD8972-3 46W 1250*70*1200mm



MD8973A-10 76W ø620*1200mm



MD8973B-10 76W ø620*1200mm



MD8973C-10A 85W ø620*1200mm



MD8973C-10B 85W ø620*1200mm



MD8974-600-2 IN 1 55W 600*600*1200mm



MD8974-600-3 IN 1 80W 700*600*1200mm



MD8974-C-S-2 IN 1 46W ø600*1200mm MD8974-C-L-2 IN 1 65W ø800*1200mm



MD8974-C-3 IN 1 85W ø800*1200mm



MD8974-REC-S-2 IN 1 46W 670*300*1200mm MD8974-REC-L-2 IN 1 65W 860*400*1200mm



MD8974-REC-3 IN 1 85W 860*400*1200mm



MD8975-6 80W ø620*1200mm



MD8958-3 55W ø650*1200mm



MD8958-4 60W ø650*1200mm



SELECTION GUIDE • LED PENDANT LIGHT



MD8958-10 90W 1160*440*1200mm



MD8963-12 115W ø630*1200mm



MD8961-1 27W 1270*60*1200mm



MD8961-2 55W 1250*95*1200mm



MD8957-6 55W ø620*1200mm



MD8957-8 80W ø780*1200mm



MD8962-2 62W 520*406*1200mm



MD8962-3 82W 520*406*1200mm



MD8960-1 46W ø520*600mm



MD8927-1 27W 1350*60*1200mm



MD8927-2A 40W 1000*80*1200mm



MD8927-2B 40W 1200*90*1200mm



MD8927-3 65W 1000*255*1200mm



80W 1000*255*1200mm



MD8927-5B 80W 1000*255*1200mm



36W 1400*330*1200mm



MD8927-PJ-8A 115W 2040*1075*1500mm MD8927-PJ-8B 58W 1110*610*1500mm



MD8927-REL-1 42W 1080*330*1200mm



MD8927-REL-2 IN 1A 80W (680+480)*330*1200mm MD8927-REL-2 IN 1B 110W (880+680)*330*1200mm



MD8927-REL-3 IN 1 140W (880+680+480)*330*1200mm



MD8927-4A 60W 680*680*1200mm MD8927-4B 80W 1000*1000*1200mm



SELECTION GUIDE • LED PENDANT LIGHT



MD9018



MD8950-B 400 28W Ø400*1200MM MD8950-B 600 38W Ø600*1200MM MD8950-B 800 46W Ø800*1200MM



MD8950-B 600+400 65W Ø600*1200MM MD8950-B 800+600 85W Ø800*1200MM



MD8950-A 600+400 65W 823*800*1200MM MD8950-A 800+600

85W 623*600*1200MM



MD8950-B3IN1 Ø800*1200MM 115W



MD8851NEW-C400 24W Ø400*1200MM MD8851NEW-C600A 46W Ø600*1200MM MD8851NEW-C800A 80W Ø800*1200MM



MD8851NEW-C600B 40W Ø600*1200MM





MD8851NEW-C600C 40W Ø600*1200MM MD8851NEW-C800C 70W Ø800*1200MM



MD8851NEW-REC400 28W Ø800*1200MM MD8851NEW-REC600 60W Ø800*1200MM



40W Ø800*1200MM



MD8851NEW-REC1090X210



SELECTION GUIDE • LED CEILING LIGHT



MC9003A DZ4 220 20LP 20W 1100*675*80mm MC9003A SZ4 220 20LP 20W 860*450*120mm MC9003A SZ8 220 40 LP 40W 1190*990*120mm



MC8972-12 70W ø800*200mm



MC9003B X2 860 28L 28W 770*490*130mm MC9003B X4 860 45L 45W 770*740*130mm MC9003B X6 860 70L 70W 990*740*130mm



MC8992A-6

30W 770*480*340mm

MC8972D-6+3 66W 800*400*160mm



MC8992B-6

30W 870*390*560mm

MC8972D-6+6 110W 800*800*160mm





ø560*370mm

MC8975-9 86W ø730*350mm



MC8971-8 80W ø830*500mm MC8971-9 86W ø720*350mm



MC8972-8 55W 1000*300*200mm



MC8970-24

110W



MC8975-10 80W ø640*400mm



MC8958-3 55W ø650*250mm



MC8958-4 60W ø650*250mm



46W 740*500*130mm

MC8972B-5

MC8972B-8 80W 730*650*280mm MC8972B-10 100W 730*790*280mm

MC8965-2 46W 890*380*65mm



MC8965-4 92W 660*660*65mm



MC8962-4 55W 675*465*100mm



MC8962-6 93W 945*675*120mm



MC8961-2 55W 1270*100*60mm



MC8927-4 54W 686*686*112mm



SELECTION GUIDE • LED CEILING LIGHT



MC8927-8M 115W 836*836*112mm MC8927-8L 160W 1200*1200*112mm



MC8851NEW-C400A 24W Ø400*100MM MC8851NEW-C600A 46W Ø600*100MM MC8851NEW-C800A 80W Ø800*100MM



MC8851NEW-C600B 40W Ø600*100MM MC8851NEW-C800B 70W Ø600*100MM



40W Ø600*100MM MC8851NEW-C800C 70W Ø600*100MM



MC8851NEW-REC400 Ø400*100MM MC8851NEW-REC600 60W Ø600*100MM



MC8851NEW-REC1090*210 40W 1090*210*100MM



MC8851NEW-REC800X400 55W 800*400*100MM



MC8968-750*390 55W 750*390*300mm



MC8968-600+400 90W 600*600*510mm



35W 390*390*300mm MC8968-600 55W 600*600*300mm





SELECTION GUIDE • LED WALL LAMP



MBF9003A SZ2 220 7L 7W 550*95*60mm



MBF9003B DZ1 460 7L
7W 470*120*700mm
MBF9003B DZ1 600 10L
10W 610*120*70mm
MBF9003B DZ1 860 14L
14W 870*120*70mm



MBF8990A 16W 500*248*100MM MBF8990B 12W 435*295*100MM



MBF8992-2 8W 530*590*80mm



MBF8992-3 12W 685*605*80mm



12W 150*80*360mm MBF8972-5 20W 150*80*650mm



MBF8972B-3 12W 420*220*100mm



MBF8961A 14W 190*610*60mm



MBF8961B 14W 630*85*50mm



MBF8962-W-400 27W ø415*80mm MBF8962-N-300 20W ø310*80mm



20W 420*310*57mm



MBF8927-S 7W 350*75*35mm MBF8927-M 12W 675*75*35mm MBF8927-L 19W 1005*75*35mm MBF8927-XL 28W 1350*75*35mm



MBF8927-L-LN 19W 700*340*35mm MBF8927-L-SN 12W 370*340*35mm



MBF8927-L-LW 19W 730*370*35mm MBF8927-L-SW 12W 400*370*35mm



MBF8968 14W 325*150*116mm



MBF6670 3W 160*160*50MM



MBF6680-L-3 55W 1360*1360*110mm MBF6680-S-3 32W 900*900*110mm



MBF6680-L-4 62W 1350*1600*110mm MBF6680-S-4 40W 900*1100*110mm



MBF6680-L-5 75W 1500*2000*110mm MBF6680-S-5 52W 1000*1400*110mm



MBF6692 12W 346*300*100mm



SELECTION GUIDE • LED TABLE LAMP



MT9003A H2 220 14LP 14W 545*170*90mm



MT9003C DYB 400 14LP 14W 450*180*100mm



MT9003C SYB 300 14LP 14W 500*410*100mm



MT8990A 10W 510*380*150MM



MT8992-1 4W 450*200*460mm



MT8970 28W ø420*500mm



MT8972-4 18W ø200*450mm



MT8973 28W ø400*540mm



MT8974 14W 140*80*405mm



14W 345*110*406mm



18W 293*150*305mm



MT8960-1 18W ø220*570mm



MT8927 14W 340*120*445mm



MT8968 20W 310*165*400mm



SELECTION GUIDE ● LED TABLE LAMP



ML9003A H5 220 18L 18W 1350*240*120mm



ML9003C SYB 500 14LP 20W 1190*990*120mm



ML8992-4 20W 590*300*1700mm



ML8970-16 28W ø480*1400mm



ML8972-6 40W ø280*1250mm



ML8973 28W ø400*1500mm



ML8963-8 70W ø440*1480mm



ML8958 26W 665*180*1860mm




40W ø250*1400mm



ML8927 27W 250*150*1715mm



ML8968 26W 390*230*1470mm

















MD9003C REC Y616 35L MD9003C REC Y815 46L 670*670*1200mm 870*870*1200mm





Colour: W B S S O O O Driver Certifications: C € RoHS 👄 🔐



Standard configuration driver: PHILIPS











































MD8974-C-S 2 IN 1



MD8974-C-L 2 IN 1 Ø800*1200mm







MD8974-C 3 IN 1

Model: MD8977-C-S-2 IN 1/L-2 IN 1/3 IN 1

Power: 46W/65W/85W

Colour: W B S S O O

Standard configuration driver: **PHILIPS**



MD8974-REC-S 2 IN 1 MD8974-REC-L 2 IN 1 MD8974-REC 3 IN 1 670*300*1200mm 860*400*1200mm










860*400*1200mm


Model: MD8974-REC-S-2 IN 1/L-2 IN 1/3 IN 1

Power: 46W/65W/85W

Colour: @ @ @ @ @ @







MD8975-6 Ø620*1200mm



Model: MD8975-6

Power: 80W

Colour: W B S O O O

Driver Certifications: CE RoHS @ SMIRO Standard configuration driver: PHILIPS


























MD8927-3 1000*255*1200mm MD8927-5A 1000*255*1200mm MD8927-5B 1000*255*1200mm

Model: MD8927-3/5A/5B

Power: 65W/80W/80W/

Colour: © © © © ©

Driver Certifications: **CE ROHS © MAN**Standard configuration driver: **PHILIPS**











MD8927-REL-1 1080*330*1200mm MD8927-REL-2 IN 1 (680+480)*330*1200mm (880+680)*330*1200mm

MD8927-REL-3 IN 1 (880+680+480)*330*1200mm

Model: MD8927-REL-1/2IN1/3IN1 Power: 42W / (80W /110W) / 140W

Colour: 🔞 🚳 🚳 🕞 👩 🧑

Driver Certifications: (€ RoHS 🙆 🖓















Power: 65W / 85W

Colour: O • O



Certifications: CE RoHS 😂









MD8851NEW-C800B Ø800*1200MM








Model: MD8851NEW-C600B/C800B

Power: 40W/70W

Colour: 🕪 🚯


Driver Certifications: C € RoHS 🙆 🎎

























MC8972-12 Ø800*200mm





Model: MC8972-12

Power: 70W

Colour: (m) (s) (s) (p) (p) (o)

Driver Certifications: (€ RoHS 🖨 🚉 533140





MC8972B-5 740*500*130mm

MC8972B-8 730*650*200mm

MC8972B-10 730*790*200mm











Model: MC8972B-5/8/10

Power: 46W/80W/100W

Colour: WB B SN CB O GO

Driver Certifications: CE RoHS @ SSET

















MC8975-10 Ø640*400mm



Model: MC8975-10

Power: 80W

Colour: W B S C C C

Driver Certifications: CE RoHS @











675*465*100mm



945*675*120mm




Model: MC8962-4/6

Power: 55W/93W Colour: W S S O O


















MC8851NEW-C600C Ø600*100MM

MC8851NEW-C800C Ø800*100MM










Model: MC8851NEW-C600C/C800C

Power: 40W / 70W


Colour: 🕪 🚳




















Model: MBF8972-3/5

Power: 12W/20W

Colour:

© © © ©

Driver Certifications: (€ RoHS © MARIE Standard configuration driver: PHILIPS













MBF8965 420*310*57mm




Model: MBF8965


Power: 20W













MBF8927-S 350*75*35MM MBF8927-M 675*75*35MM MBF8927-L 1005*75*35MM

MBF8927-XL 1350*75*35MM

Model: MBF8927-S/M/L/XL Power: 7W/12W/19W/28W

Colour: WH BN SN CH CO GO







MBF8927-L-LN 700*340*35MM 370*340*35MM

MBF8927-L-SN

MBF8927-L-LW 730*370*35MM 400*370*35MM

MBF8927-L-SW





MBF8968 325*150*116mm



Model: MBF8968


Power: 14W



Colour: ○ ● ○

Certifications: C € RoHS ●





MBF6670 Size:160*160*50mm



Model: MBF6670

Power: 3W

Colour: ○ ●

Certifications: (€ RoHS 😂






Power: 5*3W

Colour: O

Certifications: CE RoHS @








Various sizes can transform a variety of shapes



Colour:


© © © © ©

Driver Certifications: (€ RoHs © Management Standard configuration driver: PHILIPS













MT8992-1
450*200*460mm


Model: MT8992-1

Power: 4W

Colour:
Colou

















Model: MT8974


Power: 14W

Colour: (9) (8) (9) (9) (9)










Standard configuration driver: PHILIPS





































ML8968 390*230*1470mm



Model: ML8968

Power: 26W

Colour: O O O
Certifications: C RoHS O





Convertimos tus espacios en únicos...

Carrera 48C # 15 Sur - 40 Sector Aguacatala - Medellín

Teléfonos: +57 (4) 325 00 20 +57 310 895 7665

gerencia@ifiasociados.com

www.ifi.com.co